




**KOYO J-1212 needle roller bearings**



Bearing No. J-1212

J-1212 Bearing 2D drawings and 3D CAD models

Size	19.050x25.400x19.05 mm
Bore Diameter	19.050 mm
Outer Diameter	25.400 mm
Width	19.05 mm
Fw	19.050 mm
D	25.400 mm
C	19.05 mm
Weight	0.020 Kg
Basic dynamic load rating (C)	15.52 kN
Basic static load rating (C0)	21.62 kN
(Grease) Lubrication Speed	11000 r/min
Category	Needle Non Thrust Roller Bearings
Inventory	30.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.02
EAN	0605790204005
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row



# NTN BEARING MANUFACTURING DE MEXICO,S...

Separable	No
Closed End	No
Inch - Metric	Inch
Relubricatable	No
Thrust Bearing	No
Long Description	3/4" Bore; 1" Outside Diameter; 3/4" Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Yes Retainer; Single Row of Rollers
Other Features	2 Rib Outer Ring   Drawn Cup Bearing   Steel Cage
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Manufacturer Item Number	J-1212
Weight / LBS	0.045
Outside Diameter	1 Inch   25.4 Millimeter
Bore	0.75 Inch   19.05 Millimeter
Width	0.75 Inch   19.05 Millimeter
Bearing No.	J-1212
Y(max)	1.02
Cr	15.52
C0r	21.62
Cu	3.35
Grease lub.	11000
Oil lub.	18000
(Refer.) Mass(kg)	0.020



Mounting inner ring	IR-812(1)
---------------------	-----------